

CERTIFICATE OF ANALYSIS



Customer: The Hemp Doctor
118 Ewart Place,
Mooresville, NC 28117

Batch #: HD3466
Laboratory Number: ATL-18125R

Report Issue Date: 2/8/2024
Order Date: 1/29/2024
Analysis Date: 2/8/2024

Sample Description:
D8,HHC,THCP Live Rosin Distillate



Extraction Technician: LL
Analytical Chemist: LL

Unit Weight: 1g / Distillate

Kim Dang
Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results (mg/g)	%
---------	------------	----------------	---

Analyte	LOQ (mg/g)	Results (mg/g)	%
---------	------------	----------------	---

Analyte	LOQ (mg/g)	Results (mg/g)	%
---------	------------	----------------	---

CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	N/D	N/D
CBD	<0.014	3.940	0.394
THCV	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	<LOQ	<LOQ
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	424.920	42.492
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

9S-HHC	<0.009	128.900	12.890
9R-HHC	<0.013	347.590	34.759
CBC	<0.009	<LOQ	<LOQ
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	2.920	0.292
D9-THCH	<0.006	N/D	N/D
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	15.340	1.534
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	N/D	N/D
9R-HHCP	<0.010	N/D	N/D
11-OH-D8-THC	<0.005	N/D	N/D

1S-H4CBD	<0.012	N/D	N/D
1R-H4CBD	<0.025	N/D	N/D
D9-THCB	<0.004	N/D	N/D
D8-THCB	<0.007	N/D	N/D

Max Active THC	mg/g	%
	N/D	N/D

Total Active Cannabinoids	mg/g	%
	923.61	92.36

Max Active CBD	mg/g	%
	3.94	0.39

Total Cannabinoids	mg/g	%
	923.61	92.36

NOTES:

Cannabidiol (CBD) Cannabidiol (CBD) Cannabidiol (CBD) Cannabidiol (CBD) Cannabidiol (CBD) Cannabidiol (CBD) Cannabidiol (CBD) Cannabidiol (CBD) Cannabidiol (CBD) Cannabidiol (CBD)
 Tetrahydrocannabinol (THC) Tetrahydrocannabinol (THC) Tetrahydrocannabinol (THC) Tetrahydrocannabinol (THC) Tetrahydrocannabinol (THC) Tetrahydrocannabinol (THC) Tetrahydrocannabinol (THC) Tetrahydrocannabinol (THC) Tetrahydrocannabinol (THC) Tetrahydrocannabinol (THC)
 9S-Delta-10-Tetrahydrocannabinol (9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol (9R-D10-THC) 9S-Hexahydrocannabinol (9S-HHC) 9R-Hexahydrocannabinol (9R-HHC) 11-Hydroxy-THC (11-OH-D8-THC)
 Cannabichromene (CBC) Cannabichromene (CBC) Cannabichromene (CBC) Cannabichromene (CBC) Cannabichromene (CBC) Cannabichromene (CBC) Cannabichromene (CBC) Cannabichromene (CBC) Cannabichromene (CBC) Cannabichromene (CBC)

Document ID: ATL-225A Revision: 03 Effective Date: 10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

